PTO/SB/05 (4/98)

09/:		jc931
ᇤ	==	C
		Š
_		PTO

Please type a plus sign (+) inside this box → + Approved for use through 9/30/2000. OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL

First Inventor or Application Identifier

Attorney Docket No.

PROCESS AND FILTER FOR FILTERING A SLURRY

STANKOWSKI, Ralph

MCA-470

	IKANSIIIIIAL	174,10	INOCESS	AND FILTER FOR	FILTERING A SLURRY	U2
(Only for new	v nonprovisional applications under 37 CFR 1.53(b))	Express	Mail Label No.			D D
See MPE	APPLICATION ELEMENTS P chapter 600 concerning utility patent app.	lication	ADD	PRESS TO: Box Pai	nt Commissioner for Patents tent Application	JC635
4 7 *	Fee Transmittal Form (e.g., PTO/SB/17) Submit an original, and a duplicate for fee processir		5. Mic	crofiche Computer P	gton, D.C. 20231 rogram (Appendix)	
2. 🗸 s	pecification [Total Pages preferred arrangement set forth below)	15]	6. Nucleotide		Sequence Submission	
	Descriptive title of the Invention		а.	Computer Reada	able Copy	
	Cross References to Related Applications		<u> </u>	╡ `	• •	
	Statement Regarding Fed sponsored R & D		b	=======================================	ntical to computer copy)	
-1	Reference to Microfiche Appendix		c	Statement verify	ing identity of above copies	S
-1	Background of the Invention		ACCO	MPANYING AP	PLICATION PARTS	
	Brief Summary of the Invention				E E CATION TARTO	
- [Brief Description of the Drawings (if filed)		7. Ass	ignment Papers (cov	ver sheet & document(s))	
	Detailed Description		37 0	C.F.R. 3.73(b) Stater	ment Down of Attor	
	Claim(s)		(whe	n there is an assignee)	Power of Attor	ney
-/	Abstract of the Disclosure	<u>-</u>	9 Eng	lish Translation Doc	ument (if applicable)	
3. 🚺 Di	rawing(s) (35 U.S.C. 113) [Total	7]		rmation Disclosure ement (IDS)/PTO-14	Copies of IDS Citations	
[4. Oath or [Declaration [Total Pages Newly executed (original or copy)	3 <i>J</i>	11. Preli	iminary Amendment		
b. [Copy from a prior application (37 C.F (for continuation/divisional with Box 16 con	R. 1.63(d	12. Retu (Sho	ırn Receipt Postcaro uld be specifically itemi	l (MPEP 503) zed)	
_	[Note Box 5 below]	.piotou)		nall Entity Stat	ement filed in prior applica	tion,
	i. DELETION OF INVENTOR(S Signed statement attached de	i) Notine	Jo State	ement(s) Stat	us still proper and desired	
	inventor(s) named in the prior ar see 37 C.F.R. 1.63(d)(2) and 1.3	oplication.	14. Cert	ified Copy of Priority eign priority is claimed)	Document(s)	
*NOTE FOR	ITEMS 1 & 13: IN ORDER TO BE ENTITLED TO I S, A SMALL ENTITY STATEMENT IS REQUIRED (37 ONE FILED IN A PRIOR APPLICATION IS RELIED UPO	PAY SMALL	15. Othe			
EXCEPT IF O	NE FILED IN A PRIOR APPLICATION IS RELIED UPO	N (37 C.F.R.				
16. If a CC	ONTINUING APPLICATION, check appropriate	e box, and s	upply the requisite in	formation below and in	a preliminary amendment:	
∐ Co	ntinuation Divisional Continua	tion-in-par	t (CIP) of prior a	pplication No.:		
	application information Examiner			Group / Art Unit		
For CONTINU	ATION or DIVISIONAL APPS only: The entire d	isclosure of	the prior application	n, from which an oatl	n or declaration is supplied u	nder
reference. The	ATION or DIVISIONAL APPS only: The entire di onsidered a part of the disclosure of the ac e incorporation <u>can only</u> be relied upon when a	companying portion has	g continuation or (been inadvertently	divisional application omitted from the sub	and is hereby incorporated mitted application parts.	d by
			IDENCE ADDRI			
⊠ Custon	ner Number or Bar Code Label (Insert Custome	r No. or Atta	ch bar code label hei	!	espondence address below	
Nama	John Dana Hubbard 25	5182				
Name	Millipore Corporation PATENT_TR	RADEMARK OF	FICE		· · · · · · · · · · · · · · · · · · ·	-
Address	80 Ashby Road					
City	Bedford	State	MA	Zip Code	01730	_
Country		phone	781-533-2152	Fax	781-533-3125	-
Name		1-1-1-1			701-333-3123	
	John Dana Hubbard	•	Registratio	on No. (Attorney/Agent)	30,465	ì
Signatu	ire 1.2.11			Date	(mb/ 1 /11 -	1

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231 DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

Į.J

FEE	TRANSMITTAL	
•	for FY 2000	

Patent fees are subject to annual revision. Small Entity payments <u>must</u> be supported by a small entity statement, otherwise large entity fees must be paid. See Forms PTO/SB/09-12.

See 37 C.F.R. §§ 1.27 and 1.28.

TOTAL	AMO	UNT	OF	PAY	MENT
	/11th	O11 1	•		141 - 14 1

WARNING:

(\$)	6	9	0

Co	omplete if Known	P _L
Application Number		O\ -
Filing Date		.00
First Named Inventor	STANKOWSKI, Ralph	0
Examiner Name		90
Group / Art Unit		7
Attorney Docket No.	MCA-470	

METHOD OF PAYMENT (check one)				F	EE CALCULATION (continued)	
1. X The Commissioner is hereby authorized to charge indicated fees and credit any overnaments to	3. AD					
indicated fees and credit any overpayments to.	Large i	Entity Fee	/Smal	I Entity Fee		
Deposit Account 133577	Code		Code		Fee Description	Fee Paid
Number 133377	105	130	205	65	Surcharge - late filing fee or oath	
Deposit	127	50	227	25	Surcharge - late provisional filing fee or cover sheet.	
Account Millipore Corporation						
Charge Any Additional Fee Required	139	130	139	130	Non-English specification	
Under 37 CFR §§ 1.16 and 1.17	147 2,	,520	147	2,520	For filing a request for reexamination	
2. Payment Enclosed:	112	920*	112	920*	Requesting publication of SIR prior to Examiner action	
Chock Money Cother	113 1,	,840*	113	1,840*	Requesting publication of SIR after	
Check Order Other					Examiner action	
FEE CALCULATION	ŀ	110	215	55	Extension for reply within first month	
1. BASIC FILING FEE		380	216		Extension for reply within second month	
Large Entity Small Entity			217		Extension for reply within third month	
Fee Fee Fee Fee Description Code (\$) Code (\$) Fee Paid	118 1,	,360	218	680	Extension for reply within fourth month	
101 690 201 345 Utility filing fee 690	128 1,	,850	228 9	925	Extension for reply within fifth month	
106 310 206 155 Design filing fee	119	300	219	150	Notice of Appeal	
107 480 207 240 Plant filing fee	120	300	220	150	Filing a brief in support of an appeal	
108 690 208 345 Reissue filing fee	121 2	260	221	130	Request for oral hearing	
114 150 214 75 Provisional filing fee	138 1,	,510	138 1	,510	Petition to institute a public use proceeding	
01170741 (4) (4) (4) (6) (6)	140	110	240	55	Petition to revive - unavoidable	
SUBTOTAL (1) (\$) 690	141 1,	,210	241	605	Petition to revive - unintentional	
2. EXTRA CLAIM FEES	142 1,	,210	242	605	Utility issue fee (or reissue)	
Fee from Ext <u>ra Claims below Fee Paid</u>	143	430	243	215	Design issue fee	
Total Claims 19 -20** = 0 x 0 = 0	144 5	580	244	290	Plant issue fee	
Independent 2 - 3** = 0 x 0 = 0	122	130	122	130	Petitions to the Commissioner	
Multiple Dependent =	123	50	123	50	Petitions related to provisional applications	
**or number previously paid, if greater; For Reissues, see below	126 2	240	126	240	Submission of Information Disclosure Stmt	
Large Entity Small Entity Fee Fee Fee Fee Fee Description	581	40	581	40	Recording each patent assignment per	
Code (\$) Code (\$)					property (times number of properties)	
103 18 203 9 Claims in excess of 20	146 6	690	246	345	Filing a submission after final rejection	
102 78 202 39 Independent claims in excess of 3	149 6	690	249	345	(37 CFR § 1.129(a)) For each additional invention to be	
104 260 204 130 Multiple dependent claim, if not paid					examined (37 CFR § 1.129(b))	
109 78 209 39 ** Reissue independent claims over original patent	Other fee	e (spe	ecify) _			
110 18 210 9 ** Reissue claims in excess of 20 and over original patent	Other fee	e (spe	ecify) _	····		
SUBTOTAL (2) (\$) 0	*Reduce	ed by I	Basic	Filing F	ee Paid SUBTOTAL (3) (\$)	
SUBMITTED BY					Complete (if applicable)	
Name (Pnnt/Type) John Dana Hubbard/			ation f //Agent		30,465 Telephone 781-533-21	52
Signature \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	(A)	шогне	//ye/il	<u>/ [</u>	Date Calala I	

Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

CERTIFICATE OF MAIL	(37 CFR 1.10)	Docket No.								
Applicant(s): STANKOWS		MCA-470								
Serial No.	Filing Date	Examiner	Group Art Nuit							
Invention										
Invention:										
PROCESS AND FILTER	FOR FILTERING A SLURI	RY								
Graff Graff										
of the state of th	Haller Anneller aller Terrer 200 174	\"								
	Utility Application Transmittal (1 smittal (1 pp); Specification - Inclu									
; ; ;); Certificate of Express Mail (EL48									
Deposit Account No.: 13-3577.										
is being deposited with the l	United States Postal Service '	Express Mail Post Offic	e to Addressee" service							
under 37 CFR 1.10 in an enve	elope addressed to: The Comn	nissioner of Patents and T	rademarks, Washington,							
D.C. 20231 on 13 Septem	ber 2000									
Health Health Health										
	CH	10-1 0 Out	0							
	<u> </u>	Derly a. Oth	S061							
	IP Paralegal									
	Millipore Co	orporation								
	EI 4 0 07	04506US								
		0450608 iil" Mailing Label Numbe	r							

PROCESS AND FILTER FOR FILTERING A SLURRY

BACKGROUND OF THE INVENTION

The present invention relates to a filter and a process for filtering particle containing or slurry like materials. More particularly, it relates to a depth filter and process for filtering slurries and compositions containing particles and/or gels such as CMP (chemical-mechanical planarization) slurries and photoresist chemicals.

A fluid composition containing a particulate solid component is referred to in the art as a "slurry". The solid component can be any of a variety of materials including solid particles, cell components, flocculating agents, gel particles or the like. These are found in many applications including photoresist chemicals, biopharmaceutical products and abrasive materials for the semiconductor industry.

Photoresist chemical compositions often contain gels and agglomerates of gels that are formed from the photoresist chemicals due to shear, shock or age of the chemicals. Such gels and agglomerates need to be removed prior to using these chemical compositions

Biopharmaceutical liquid compositions such as cell broths, fermentation liquids, transgenic milks and other transgenic liquids, blood, blood fractions or other bacterial or animal fluids or secretions, contain whole cells, cell components, fats and other solids which need to be removed to in order to further process and recover desired components of these compositions.

Of particular interest are slurry compositions, utilised in CMP to polish wafers in VLSI and ULSI integrated circuit devices. High pH silica CMP slurries are utilised to polish dielectric and polysilicone layers. In addition, acidic silica and alumina or metal /metal oxide abrasive based slurries are utilised to polish metal interconnects. The CMP process uses sub micron (30-500 nm) abrasive particles at a typical concentration of 1-30% by weight.

The typical specification for commercial CMP slurries includes percent solids, pH, specific gravity, mean particle size and general (bulk) particle size distribution. However, a small number of "large" particles (>1 urn) have been found which fall outside of the specified size distribution. These particles can be aggregates, agglomerates or gels and may be formed from agglomeration, settling, system or pH shock or local drying of slurry. The large panicles and agglomerates can cause microscratches and they, together with the gels cause other defects on planarized wafer surfaces

during CMP processing. Slurry filtration to remove these relatively large particles has proven to be beneficial in reducing wafer defects and increasing yields in CMP processes.

At the present time a wide variety of filter cartridge constructions are utilized to purify fluids. These cartridge constructions are designed to remove solids and colloidal particles as well as microorganisms. The basic two separate and distinct types of cartridges used in filtration of gases and liquids are depth filters (typically wound) and surface or screen filters (usually pleated). A depth filter is primarily used to remove most of the contaminants and particles. It is typically utilized upstream of a surface or screen filters. The most important properties for a depth filter are its "dirt holding capacity" or throughput, pressure drop and retention. The filter design allows contaminants and particles to be trapped in stages within the depth of the filter due to the construction of the multiple layers of various media types. A wound depth filter has multiple layers with the most open media (largest micron retention rating), i.e., largest pore size usually the outermost layer, adjacent the liquid inlet with the tightest media at the core adjacent the liquid outlet will have the least amount of surface area due to the smallest diameter around which it is wrapped. This layer at the core contributes to most of the pressure drop of the cartridge because the media has the highest pressure drop and the least amount of filtration surface area. Likewise, this layer will significantly reduce the capacity of the filter due to both the low filtration surface area and the smallest micron retention rating.

Presently available depth filters are positioned within a housing, spaced apart from the interior housing walls thereby to form a void volume upstream of the depth filter. This spacing is effected to permit either the introduction of a fluid feed into the entire filter or the removal of the entire permeate from the filter. If this spacing were not maintained, fluid flow through the filter can be severely restricted. As a result, a relatively large high fluid hold-up volume occurs in a conventional filter unit. A depth filter construction utilizing such a spacing also is disadvantageous for filtering a slurry since the particles in the slurry can settle out of the slurry on and within the filter. This results in rapid plugging of the filter, particularly at low flow rate point of use applications.

Depth filters comprising a relatively deep bed of filter material are undesirably compressible under the pressure of fluid entering the filter bed. Filter bed compressibility depends upon the type of filter, retention characteristics of the filter and thickness of the depth filter. For example, thicker filter beds are more compressible than thinner filter beds. When the filter bed is compressed, void volume is reduced and, the probability of plugging is increased. This results in an undesirably shod useful file of the filter. In addition, compression of the filter bed requires that the pressure of feed fluid be increased in order to maintain desired fluid through put rates. These conditions of increased pressure increase the probability of undesirable channelling of fluid in the space between the filter housing and the filter

bed. Such channelling is undesirable since the channelled fluid does not pass through the filter bed and undesirably large particles are not removed from the fluid.

A surface of screen filter will retain virtually 100% of the particles or contaminants for which it is rated. The media used in surface or screen filter typically has a high pressure drop and low "dirt holding capacity" or throughput because of its high retention efficiency. The media normally used in a surface filter comprises glass or polymeric microfibers. Particles are retained by size exclusion primarily on the surface of the screen filter rather than within the depth of the filter. Particles smaller than the controlled pore size tend to be trapped within the media of the surface filter. However, as a result of the controlled pore structure, they provide more predictable filtration than depth filters. Screen filters are not useful for filtering a slurry since they will become plugged quickly by the solid particles and gels in the slurry.

Accordingly, it would be desirable to provide a filter cartridge including a depth filter for filtering a slurry that effectively removes undesirably large solid particles and **gels**. In addition, it would be desirable to provide such a filter cartridge that permits passage there through of particles in the slurry within a desired particle size range. Furthermore, it would be desirable to provide such a filter cartridge wherein compression of the depth filter is controlled to substantially prevent compression of the depth filter and channelling of the slurry being filtered.

SUMMARY OF THE INVENTION

The present invention comprises a process for filtering a slurry and a filter cartridge construction for filtering a slurry having a filtration medium formed of a depth filter such as a cylindrical seamless fibrous depth filter comprising a nonwoven fibrous mass, woven fibers, a plurality of nonwoven fibrous layers or a fibrous felt or the like or a wound depth filter retained within a housing substantially free of an open void volume upstream of the depth filter which causes separation of solid particles from a slurry being filtered The filtration medium is divided into a plurality of depth filter segments by spacers which are spaced apart from each other along the length of a filter cartridge housing which houses the depth filter, The spacers serve to divide the depth filter medium into depth filter segments and to allow fluid to pass there through along a defined path defined by the configuration of the open portions of the spacers. In addition the spacers are configured to seal the inner surfaces of the filter cartridge housing to prevent channelling of the slurry being filtered along the inner surfaces of the housing. By utilising the spacers, the compressibility of the filtration medium also is substantially reduced.

By the term "open void volume" as used herein is meant a volume free of a material including materials for forming a depth filter and is not meant to include the void volume normally encountered within the filter material in a conventional filter-housing construction.

In one embodiment, one end of the cartridge of this invention is sealed with a cap having a fluid inlet while the opposing end is sealed with a cap having a fluid outlet. In a second embodiment, both the fluid inlet and the fluid outlet are positioned on the same surface of the housing and a fluid conduit is provided within the housing to direct fluid from the inlet to the outlet. The spacers provide a seal along the inner surface of the housing and, in the case of the second embodiment, provide a seal along the conduit that directs fluid from the inlet to the other side of the housing where it then flows through the filter material to the outlet. When the filtration medium is a wound depth filter, it is positioned around a core that extends substantially the length of the cartridge. In this embodiment, the spacers provide a seal along the surface of the core in contact with the wound depth filter. When the depth filter comprises a nonwoven fibrous mass, it is compressed to effect the desired percent retention efficiency of the mass. The depth filter also can comprise a layered filter construction having a plurality of filtration media, each having a controlled percent retention rating. The layers of the depth filter are formed of felt layers, of wound or layered flat filtration sheets, woven fibers or of a fibrous mass of nonwoven polymeric fibers secured together by mechanical entanglement or interweaving of the fibers.

The filter cartridges of this invention retain undesirably large particles and gel particles which permitting passage there through of particles of a slurry having a size within a desired size range.

BRIEF DESCRIPTION OF THE DRAWINGS

- Fig. 1 is a cross-sectional view of a filter cartridge of this invention.
- Fig. 2 is a cross-sectional view of the filter cartridge of the prior art.
- Fig. 3 is a side view of the center conduit of the cartridge of Fig. 1.
- Fig. 4 is an isometric view of spacer arrangement for the cartridge of Fig. 1.
- Fig. 5 is an isometric view of a filter segment of the cartridge of Fig. 1
- Fig. 6a is a cross-sectional view of a spacer utilised in the present invention.
- Fig. 6b is a cross-sectional view of a portion of an alternative spacer utilised in the present invention.
 - Fig. 6c is a top view of a spacer utilised in the present invention.
 - Fig. 7 is a cross-sectional view of an alternative spacer and filter cartridge useful in the present invention
 - Fig. 8 is a cross-sectional view of an alternative filter cartridge of this invention.
 - Fig. 8a is a planar view of a spacer utilised in the present invention.
 - Fig. 9 is a cross-sectional view of an alternative filter cartridge of this invention.
 - Fig. 10 is a top view of an alternative spacer useful in the present invention.
 - Fig. 11 is a top view of an alternative spacer useful in the present invention.
 - Fig. 12 is an isometric view of a spacer arrangement useful in the present invention.

DESCRIPTION OF SPECIFIC EMBODIMENTS

The present invention provides a filter cartridge construction which comprises (1) a depth filter comprising either (a) a wound depth filter, (b) a stack of depth filters or (c) a cylindrical seamless fibrous depth filter formed from a fibrous mass of fibers positioned within a housing. The depth filter has a thickness in the direction of fluid flow there through of between about 1 (2.54 cm) and about 18 inches (45.72 cm), preferably between about 3 (7.62 cm) and about 12 inches (30.48 cm) to attain effective retention of undesirably large particles while permitting passage there through of particles within a desired size range.

The depth filter includes a plurality of annular spacers positioned within the depth filter in order to divide the depth filter into filter segments. The ratio of depth filter segment thickness to spacer

thickness is between about 1.1: 1 and about 5:1, preferably is between about 1.5: 1 and about 3:1, The spacer configuration depends upon the flow path of the slurry being filtered through the filter housing. In one embodiment, the slurry is passed in a first direction through an open conduit positioned within the housing and then in a second direction opposite the first direction through the filter segments. In this embodiment, both the fluid inlet to the housing and the fluid outlet from the filter housing are positioned on the same surface of the filter housing. In a second embodiment, the slurry is passed through the filter segments without first passing through an open conduit positioned within the housing. In this embodiment, the fluid inlet to the housing and the fluid outlet from the housing are positioned on opposing surfaces of the housing. The spacer in both of the embodiments of this invention has a thickness between about 0.01 (0.0254 cm) and about 0.12 inches (0.3048 cm), preferably between about 0.01 and about 0.07 inches. The spacers provide a means for substantially reducing the compressibility of the depth filter during use under the pressure of feed fluid. A spacer providing a depth filter segment to spacer ratio of thickness greater than about 5 is generally ineffective for reducing compressibility of the depth filter. A spacer having a thickness greater than about 0.12 inch (0.3048 cm) is undesirable since it will promote separation of solid particles from a slurry being filtered due to a large space between filter medium segments. In this instance, one may insert or bond a piece of filtration medium into the opening of the spacer to form an essentially continuous medium subject to the flow of fluid through out the length of the filter.

In the first embodiment of this invention, the spacer element at a given height within the filter housing is configured so that a seal is provided both along the inner surface of the housing and along the outer surface of the conduit positioned within the housing. This seal configuration prevents channelling of the fluid feed along these surfaces of the housing and conduit. The portion of the spacer element positioned along the outer conduit surface can be connected to the portion of the spacer element positioned along the inner surface of the housing a given height within the filter housing or these two portions of the spacer element can be unconnected to each other. When the two spacer element portions are connected to each other, they are connected in a manner that permits the fluid feed to pass through the entire height of the combined filter segments. When the spacer portions are not connected to each other they are spaced apart from each other a sufficient distance to permit the fluid feed to pass through the entire height of the combined filter segments. In addition, the spacer elements can be configured to have one or more open portions and a solid portion to effect a tortuous path of the fluid feed through the filter segments wherein the solid portions of the spacers block fluid flow through selected areas of the filtration elements.

The depth filter of this invention can comprise one or a plurality of media each having the same or different micron retention size. In one embodiment, the depth filter comprises a plurality of media (layers) each having a different micron retention size so that the permeability or retention of the media layers is largest adjacent the fluid outlet from the cartridge. Micron retention size can be varied by controlling the fiber size and/or fiber spacing. Thus, large particles will be retained adjacent the feed inlet and progressively smaller particles will be retained as the feed passes through the filter cartridge. The permeability or retention of the media layers is controlled so that particles in the slurry within a desired particle range pass through the cartridge and through the outlet. It has been found, in accordance with this invention, that the useful life of the cartridge of this invention is at least about 50 percent longer, preferably at least about 200 percent longer than a prior art filter cartridge having a void volume in a housing positioned upstream of a depth filter positioned within the housing. Thus, the filter cartridge of this invention permits the use of fewer cartridges for a particular application and lower cost as compared to the filter cartridges of the prior art. Percent retention efficiency and Beta Ratio are measures of the ability of the ridge to capture and retain particles. The Beta Ratio concept was introduced by the Fluid Power Research Center (FPRC) at Oklahoma State University (OSU) in 1970. Originally developed for use in hydraulic and lubricating oil filters, the test has been adapted by many cartridge manufacturers to measure and predict the cartridge filter performance in aqueous based fields. Beta Ratio is defined by the FPRC as the number of particles greater than a given size (x) in the feed, divided by the number of particles greater than the same size in the effluent. Both percent retention efficiency and Beta Ratio values are calculated for specific particle size ranges.

The following equations showed the relationship between Beta Ratio and percent retention efficiency

% Retention Efficiency = <u>Number of feed particles-Number of effluent particles)(size X)</u> X 100

Number of feed particles (size X)

Beta Ratio (B) = Number of feed particles (size X)

Number of effluent particles (size X)

% Retention Efficiency =
$$\underline{B-1}$$
 X 100

In the filter cartridge of this invention, the filter medium of the depth filter having the largest micron retention is preferably positioned adjacent an inlet to the filter cartridge. The filter media of the depth filter having the smallest micron retention is preferably positioned adjacent the outlet from the filter cartridge. The micron retention characteristics of a filter can be varied by varying the diameter of fibers used to form the filter and/or the extent of compression of the fibers such as by winding a filter medium sheet tighter or looser around a core. A tighter wound filter medium gives a higher percent retention efficiency. The intermediate filter media are positioned according to percent retention of efficiency so that incoming slurry is passed sequentially through the filter media having progressively smaller micron retention and lastly through the filter media having the smallest micron retention. Thus the overall filter cartridge presents a percent retention efficiency that comprises a progressive gradient from the inset to the outlet wherein the percent retention efficiency progressively increases. Representative media useful for forming the depth filter include the fibers of polyolefins such as polyethylene, polypropylene, cellulose, cellulose derivatives such as cellulose acetate, cotton, polyamides, polyesters, fiberglass, polytetrafluoroethylene (PTFE), fluoropolymers such as PFA, MFA and FEP or the like.

The fibrous depth filter is free of seams and is formed of fibers that produce a fibrous mass of fibers. This embodiment of the depth filter can be characterized by a gradation of micron retention characteristics throughout its thickness in the direction of fluid flow through the depth filter. This

gradation can be achieved either by varying the void volume of the cylindrical fibrous depth filter medium as a function of thickness in the direction of fluid flow through the filter or by maintaining a constant volume and varying the size of the fibers as a function of depth filter thickness in the direction of fluid flow through the depth filter. In either embodiment all that is necessary is that the gradation of micron retention characteristics is produced. The gradation is effected such that the slurry to be filtered first encounters a layer of the depth filter having a largest micron retention characteristics (i.e. largest pores) and encounters layers having progressively smaller micron retention characteristics (i.e. smallest pores) prior to being directed through the outlet. The seamless cylindrical fibrous depth filter can be formed by any conventional means such as is disclosed in U.S. patents 3,933,557; 4,032, 688t 4,726,901 or 4,594,202 which are incorporated herein by reference.

Representative slurries that can be filtered in accordance with this invention include CMP slurries such as silica-based slurries, alumina-based slurries, ceria-based slurries, diamond-based slurries, manganese dioxide-based slurries, titanium and other metal or metal oxide slurries. Additionally, representative biological-type slurries in which the filter of this invention can be used include cell brutish whether containing whole cells or ruptured cells or cellular components, fermentation products, a transgenic liquid such as transgenic milk, blood, a blood fraction or other slurries which contain large components which need to be separated from smaller components.

In one method for forming a cylindrical seamless fibrous depth filter, for example, a molten thermoplastic composition is spun from a multiplicity of orifices arranged at an angle to a rotating mandrel. The orifices are positioned at a plurality of distances from the mandrel, Gas is directed at the orifices in a direction generally in the direction of projection of the fibers from the orifices to attenuate and disrupt the fibers into discrete lengths. The fibers are collected and wound on the mandrel to form a generally spiralling wound cylindrical layer of randomly intertwined spun fibers and to form the seamless cylinder which can be removed from the mandrel. Micron retention characteristics for a given layer can be controlled by controlling the rate of exit of fibers from a particular set of orifices that produce a given layer, thereby to control the void volume in that layer.

In a second method, the cylindrical seamless fibrous depth filter is formed in a manner whereby the void volume throughout the filter thickness in the radial direction is essentially constant. The desired micron retention characteristic gradation is achieved by varying the size of the fibers throughout the cylindrical fibrous depth filter in the radial direction. The smallest fibers produce a layer having the smallest micron retention characteristics while the largest fibers produce a layer having the largest micron retention characteristics. The fibers are formed by extruding a molten thermoplastic composition from a fiberizing die. The fibers are attenuated by a gas stream directed to a rotating

reciprocating mandrel. The fibers are cooled prior to their collection on the mandrel to a temperature below that the fibers bind to reach other to substantially eliminate fiber to fiber bonding. The cooled fibers are collected on the mandrel and are subjected to a compression force to effect a substantially constant void volume through the thickness of the cylindrical seamless fibrous depth filter in the radial direction. The cylindrical and fibers depth filter can be formed on the pleated on a core.

Typically, the void volume of the cylindrical fibrous depth filter ranges between about 60 and 95 percent and varies no more than about 1 to 2 percent. Typically the fibers range in diameter between about 1.6 and 16 micrometers. The compositions for forming the depth filter of this invention also can have specific properties either inherent or added such as hydrophilicity, hydrophobicity, a positive or negative charge or the like,

The wound depth filter is formed by winding one or a plurality of filter sheets formed of fibers to form a joint generally cylindrical structure. The filter sheet or sheets have varying pore size such that the micron retention characteristic of a portion of the depth filter as a function of radial position within or on the depth filter. The portion of the wound depth filter positioned adjacent an inlet to the filter cartridge including the wound depth filter has the largest micron retention characteristics while the portion of the wound depth filter having the smallest micron retention characteristics, i.e. the smallest pore size is positioned adjacent the outlet from the filter cartridge. Any intermediate portions of the wound depth filter are positioned according to pore size so that incoming slurry is passed sequentially through portions of the depth filter having progressively smaller micron retention characteristics and lastly through the portion of the filter having the smallest micron retention characteristics. Representative media useful for forming depth filters include the fibers set forth above for the cylindrical seamless fibrous filters.

The depth filter can be formed from one or a plurality of separate filter sheets by stacking the sheets within a housing in a manner such that an open volume within the housing upstream of the depth filter that would promote particle separations from a slurry is avoided. The filter sheet or sheets can have the same pore size or varying pore size such that the micron retention characteristic of a portion of the depth filter varies along the length of the housing. When utilizing sheets having varying pore size, the portion of the filter stack positioned adjacent an inlet to the filter cartridge preferably has the largest micron retention characteristics while the portion of the filter stack having the smallest micron retention characteristics, i.e. the smallest pore size is preferably positioned adjacent the outlet from the filter cartridge. Any intermediate portions of the filter stack are positioned according to pore size so that incoming slurry is passed sequentially through portions of the depth filter having progressively smaller micron retention characteristics and lastly through the portion of the filter having

the smallest micron retention characteristics. Representative media useful for forming the filter stack include the fibers set forth above for the cylindrical seamless fibrous filter.

Referring to Fig. 1, 4, 5 and 7, the filter cartridge 10 of this invention includes a housing 12 and end caps 14 and 16 that are sealed to housing 12. The end caps 14 and 16 can be attached to housing 12 by any conventional means such as by being screwed onto an outside threaded surface of housing 12, by 0-rings, other clamping devices or by an adhesive means such as epoxy resin or melt bonding. End cap 14 is provided with an inlet 24 and outlet 15 while end cap 16 is closed and sealed to housing 12. A plurality of filter segments 20 are positioned within housing 12 separated by annular inner spacers 22 and annular outer spacers 26 throughout the height of the housing 12 not occupied by end caps 14 and 16. The spacers 22 and 26 can be retained in position by retainers 27 such as snap rings that fit into grooves of the interior wall of the housing 12 and on the outer surface of the internal conduit 29. Each of the filter segments 20 comprises a filter medium as described above. The interior of housing 12 is free of open volumes. That is, it is completely filled with the stack of filter sheets 20 separated by annular spacers 22 and 26 having an open central volume portion 25 except for the small spaces 23 which may be formed between the filter segments adjacent the spacers 22 and 26. The spaces 23 should not have a height that exceeds about 0.12 inch (0.3048 cm), preferably not greater than about 0.09 inch (0.2286 cm) in order to prevent precipitation of solids from the slurry being filtered.

In operation, fluid feed enters housing 12 through inlet 24, passes through conduit 29, reverses direction as indicated by arrows 31, passes through filter segments 20 and from housing 12 through outlet 15. If desired, housing 12 can be provided with gas vent 17 into which is included a hydrophobic porous filter in a conventional manner which permits passage of gas there through while preventing passage of aqueous liquid there through.

Referring to Fig. 2, the filter cartridge 30 of the prior ad includes a housing 32 having an inlet 34 and an outlet 36. A filter cartridge 38 includes a depth filter 40 wound around a hollow core 42 an end cap 44 sealed to the core 42 and depth filter 40 and an outlet 46. The wound filter 40 is comprised of non-woven fibers as described above. The interior of housing 32 includes a void volume 39. When a slurry is filtered with this filter cartridge, the filter becomes plugged rapidly due to precipitation of particles from the slurry onto the exposed surface of the depth filter adjacent the open void volume 39.

Referring to Fig. 3, the outside surface of the conduit 29 is shown having a groove 33 for 0-ring 18 and a groove 35 for retainer 27. The conduit 29 also is provided with flange 37 to provide a support for the filter segments 20. In addition, the conduit 29 also provides the function of supporting the filter material by providing a resting point for the retainer 27 on the outer portion of the conduit 29 thereby keeping the media from collapsing under pressure and maintaining it in place. This is particularly

helpful with the use of weak filtration media or systems that are subjected to high pressures or pulsations.

Referring to Figs. 6a, 6b and 6c, the spacer 40 includes an internal spacer segment 41 and an external spacer segment 42 connected together by two or more ribs 44. As shown, the height of the external and internal spacer segments 41, 42 are the same, but they are different than those of the ribs 44. However, if desired, all three sections 41,42,44 may all be the same thickness or the ribs 44 could be of greater thickness than the spacers 41,42 or they can all be of different heights if one desires so long as they don't adversely affect the flow or filtration characteristics of the device. Spacer segment 41 seals the outer surface of conduit 29 in the manner set forth above. Spacer segment 42 seals the inner surface of the housing 12 in the manner set forth above. The cross-section of spacer segment 42 can be modified as 42a as shown in Fig. 6b. Fluid to be filtered passes through areas 46, 48 and 50.

Referring to Figs 9 and 10, the filter cartridge 50 includes an inlet 51 and an outlet 52. The cartridge 50 includes spacers 26 which function for the same purpose as spacers 26 of Fig. 1 and spacer 53 formed of spacer segment 54 and spacer segment 55 joined together by ribs 56. Fluid flow through the filter segments 20 by the paths represented by arrows 57. The maximum height 59 of the space 58 is less than about 1.0 inches (2.54 cm) preferably less than about 0.5 inches (1.27 cm). This height is sufficiently small as to prevent separation of solid particles from a slurry to be filtered while promoting the desired uniform distribution of incoming slurry feed. In addition, the center support spacer segment 55 can also provide the function of supporting the filter material, keeping it from collapsing under pressure and maintaining it in place (in a manner similar to that which occurs with the conduit 29 in Figures 1 and 3.

Referring to Figs. 8 and 8A the filter cartridge 65 includes the spacer 67 (Fig. 8A) formed of a solid portion 66 and a central open portion 68, the spacer 53 (Fig. 10) and retainers 27 to provide a fluid flow path represented by arrows 69 and 70.

Referring to Fig. 11, the spacer 71 includes an inner spacer segment 72 having holes 73 and outer spacer segment 74. The spacer segments 72 and 74 are joined by ribs 75, Fluid flow is effected through areas 76, 77 and 78 as well as through holes 73.

Referring to Fig. 12, the fluid path represented by arrow 80 is effected within a filter cartridge of this invention by spacers 81, 82 and 83 having closed areas 84, 85 and 86. The outer surfaces of spacers 81, 82 and 83 are positioned within a filter cartridge along the interior wall of the cartridge for the same purpose as set forth above with reference to spacer 26.

We claim:

- 1. A filter cartridge for filtering a slurry composition comprising:
 - a hollow housing having an inlet and an outlet,
 - said hollow housing being filled with a filtration medium and being free of an open void volume upstream of said filtration medium,
 - . said filtration medium comprising depth filter segments separated by annular spacers.
 - The filter cartridge of claim 1 wherein the filtration medium is formed of a depth filter, the filtration medium being divided into a plurality of segments by two or more spacers spaced apart from each other along an inner length of a filter cartridge housing, the two or more spacers having one or more openings to allow fluid to pass there through along a defined path defined by the configuration of the open portions of the two or more spacers.
 - 3. The filter cartridge of claim 1 wherein the hollow housing has a first end containing the inlet and the outlet, a conduit within said housing providing fluid communication from said inlet to a second end of said housing, said hollow housing being filled with a filtration medium in the form of a depth filter, said filtration medium being divided into a plurality of segments by two or more spacers spaced apart from each other along the length of a filter cartridge housing, each of the two or more spacers having one or more openings to allow fluid to pass there through along a defined path defined by the configuration of the one or more openings of the two or more spacers.
 - 4. The filter cartridge of claim 1 wherein said filtration medium is a depth filter selected from the group consisting of a wound depth filter formed of nonwoven fibers, a stack of sheets wherein each sheet comprises nonwoven fibers and a fibrous mass of nonwoven polymeric fibers secured together by mechanical entanglement of the fibers.
 - 5. The process for filtering a slurry which comprises passing a slurry through a conduit positioned within a filtration cartridge and from said conduit through a depth filter, said cartridge being free of an open void volume upstream of said depth filter, said depth

filter comprising depth filter segments separated by annular spacers and recovering a filtered slurry from said cartridge.


- 6. The process of claim 5 wherein said depth filter segments are selected from the group consisting of a wound depth filter comprising nonwoven fibers, a stack of sheets wherein each sheet comprises nonwoven fibers and a fibrous mass of nonwoven polymeric fibers secured together by mechanical entanglement of the fibers.
- 7. The process of claim 5 wherein said slurry is selected from the group consisting of a silica-based slurry, an alumina-based slurry, a ceria-based slurry, a diamond-based slurry, a MnO₂- based slurry, a cell broth, a photoresist chemical, a fermentation liquid, blood, a blood fraction and a transgenic liquid.
- 8. The process of claim 5 wherein said slurry is selected from the group consisting of a silica-based slurry, an alumina-based slurry, a ceria-based slurry, a diamond-based slurry and a MnO₂- based slurry.
- The process of claim 5 wherein said slurry is selected from the group consisting of a cell broth, a photoresist chemical, a fermentation liquid, blood, a blood fraction and a transgenic liquid.
- 10. The process of claim 5 wherein said slurry is a transgenic milk.
- 11. The process of claim 5 wherein said slurry is selected from the group consisting of blood and a blood fraction.
- 12. The filter cartridge of claim 1 wherein the spacers are configured to seal the inner surfaces of the filter cartridge housing to prevent channelling of the fluid being filtered along the inner surfaces of the housing.
- 13. The filter cartridge of claim 1 wherein the spacers are formed of annular inner spacers and annular outer spacers throughout the height of the housing.
- 14. The filter cartridge of claim 1 wherein the spacers can be retained in position by retainers.


- 15. The filter cartridge of claim 1 wherein the spacers are retained in position by retainers and the retainers are snap rings which fit into grooves of the interior wall of the housing.
- 16. The filter cartridge of claim 1 wherein the spacers have an open central volume portion.
- 17. The filter cartridge of claim 1 further comprising small spaces formed between the filter segments adjacent the spacers.
- 18. The filter cartridge of claim 1 further comprising small spaces formed between the filter segments adjacent the spacers and wherein the spaces have a height of less than about 0.12 inch (0.3048 cm).
- 19. The filter cartridge of claim 1 further comprising small spaces formed between the filter segments adjacent the spacers and wherein the spaces have a height of less than about 0.09 inch (0.2286 cm).
- 20. The filter cartridge of claim 1 wherein the spacers have an internal spacer segment and an external spacer segment connected together by two or more ribs.
- 21. The filter cartridge of claim 1 wherein the spacers have an internal spacer segment and an external spacer segment connected together by two or more ribs and the internal spacer has one or more holes.

ABSTRACT OF THE INVENTION


The present invention comprises a process for filtering a slurry and a filter cartridge construction for filtering a slurry having a filtration medium formed of a depth filter such as a cylindrical seamless fibrous depth filter comprising a nonwoven fibrous mass, woven fibers, a plurality of nonwoven fibrous layers or a fibrous felt or the like or a wound depth filter retained within a housing substantially free of an open void volume upstream of the depth filter which causes separation of solid particles from a slurry being filtered. The filtration medium is divided into a plurality of depth filter segments by spacers which are spaced apart from each other along the length of a filter cartridge housing which houses the depth filter, The spacers serve to divide the depth filter medium into depth filter segments and to allow fluid to pass there through along a defined path defined by the configuration of the open portions of the spacers. In addition the spacers are configured to seal the inner surfaces of the filter cartridge housing to prevent channelling of the slurry being filtered along the inner surfaces of the housing. By utilising the spacers, the compressibility of the filtration medium also is substantially reduced.

G:/Legal/Patent/MCA-470.doc





Prior Art Fig. 2 2/7






Fig. 7




Fig. 8a




Fig. 8 5/7







Fig. 9 6/7







Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a

v	alid OMB cor	ntrol number						
			Attorney Docket Number	er	MCA-470			
DECLARA'	TION F DES	OR UTILITY OR	First Named Inventor		STANKOWSKI, Ralph			
PATE		PLICATION	COMPLETE IF KNOWN					
(37 CFR 1.63)		Application Number						
`		,	Filing Date					
Declaration Submitted	OR	Declaration Submitted after Initial	Group Art Unit					
with Initial Filing		Filing (surcharge (37 CFR 1.16 (e)) required)	Examiner Name					

As a below named inventor, I hereby declare										
My residence, post office address, and citizenship are as stated below next to my name										
I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural										
names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled										
PROCESS AND FILTER FOR FILTERING A SLURRY										
l 										
the specification of w	hich	(Titl	e of the Invention)							
Is attached he	ereto									
OR										
was filed on (N	(M/DD/YYYY)	L	as Uni	ted States Applica	ition Number or PCT Inte	ernational				
Application Number		and w	as amended on (MM/DD/YY)	m		(if applicable)				
			of the above identified spec	fication, including	the claims, as					
amended by any amend	iment specifically r	eferred to above								
I acknowledge the duty	ta disclose informa	ition which is material	to patentability as defined in	37 CFR 1 56						
I bereby claim foreign on	ority benefits unde	r 35 U.S.C. 119(a)/	d) or 365(b) of any foreign a	nnlication(s) for n	atent or inventor's certifi	cate or 365(a) of				
any PCT international ap	plication which de	signated at least one	country other than the Unite	ed States of Amer	rica, listed below and ha	ave also identified				
below, by checking the be that of the application on			inventor's certificate, or of a	iny PCT internatio	nal application having a	filing date before				
indication and application of	William Priority to die									
Prior Foreign Application			Foreign Filing Date	Priority	Certified Copy	Attached?				
Number(s)		Country	(MM/DD/YYYY)	Not Claimed		NO				
1	}					님				
Î										
	ì									
			<u>L</u>							
Additional foreign ap	plication numbers	are listed on a supple	mental priority data sheet PT	O/SB/02B attache	ed hereto					
			States provisional application							
Application Numb			(MM/DD/YYYY)							
			<u>`</u>							
60/154,589		09/17/1999			ditional provisional ap	oplication				
00/134,307		02/11/11/2/			nbers are listed on a	ta shoot				
Į.				,	oplemental priority da O/SB/02B attached h					
				"	CASSIVED ALIACHEU II	ieieiu.				

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 0 4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO:

DECLARATION—Utility or Design Patent Application

I hereby claim the benefit under 35 U S C 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U S C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1 56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.															
	S. Paren Number	nt Application o	or PCT	Parent	:		Parent (MM/	Filing				nt Patent Nun			
Additional U	S or PCT	international applic	cation nur	mbers are	e listed o	n a suppleme	ental priority	data sl	heet PTO/SB/0	2B attac	hed heret	ta.			
As a named inven and Trademark Of		y appoint the follow cted therewith	8578	Custome OR	er Numbe	er			and to transact		ess in the	e Patent Place Custom Number Bar Co Label here			
	Name				Regist Num				Nam	e			tration mber		
John Dana H	ubbard			30,46			Т	imoth	y J. King			38,204			
Additional re	gistered pra	actitioner(s) named	on supp	lemental	Register	ed Practitions	er Informati	on shee	t PTO/SB/020	attached	l hereto				
Direct all corres	pondence		Custome Bar Code		er or				OR	☐ c	orrespor	ndence address	s below		
Name	John D	ana Hubbard				25	182								
Address	Millipo	ore Corporatio	n			PATENT_TR	ADEMARK O	FFICE							
Address	80 Ash	iby Road									,——-				
City	Bedfor	·d					State	N	ИΑ	ZIP	0173	30			
Country	US			Tel	ephone	781-5	533-2152 Fax 781-53					533-3125	33-3125		
further that these	statements	tements made hen s were made with t viliful false statemen	he knowle	edge that	wilful fa	ilse statemen	ts and the	like so r	nade are puni	shable by					
Name of Sole	or First	t Inventor:					Пар	etition !	has been file	d for this	s unsign	ed inventor			
Gi	ven Name	e (first and middle	e [if any])					Family	Name o	r Surna	me			
Ralph							STA	VKOV	VSKI						
Inventor's Signature		Ruha .	S			>						Date	9/8/00		
Residence ⁻ C	ity	Westford			State	MA	Cou	ntry	US			Citizenship	US		
Post Office Ad	dress	18 Boutwell	Hill R	oad											
Post Office Ad	ldress		,									,			
City		Westford	State	MA		ZIP	0188	36		Cou	intry	US			
XAdditional i	nventors :	are heing named	on the		SII	nnlemental	Additions	ıl Inven	tor(s) sheet/	s) PTO/	SB/024	attached heret	· — — -		

PTO/SB/02A (3-97)

Approved for use through 9/30/98 OMB 0651-0032

Patent and Trademark Office, U S DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION

ADDITIONAL INVENTOR(S) Supplemental Sheet Page ____ of ____

Name of Addition		A petition has been filed for this unsigned inventor								
Given Na	me (first and middle [if any]		Family Name or Surname							
Stephen G.	Stephen G.									
Inventor's Signature	Stept S.	Hus						Date		9/8/00
Residence: City	Billerica	State	MA		Country	US		Citizensh	ip 1	US
Post Office Address	6 Salem Road									
Post Office Address	ļ					_ _				
City	North Billerica	State	MA		ZIP	01862	Countr	y US		
Name of Addition	al Joint Inventor, if any	<i>j</i> :			A petition	on has been file	ed for th	nis unsign	ed inv	entor
Given Na	me (first and middle [if any])				Family Na	me or	Surname		
Inventor's Signature								Da	te	
Residence: City		State			Country			Cıtizen	ship	
Post Office Address										
Post Office Address		<u> </u>	,	-						
City		State			ZIP		Cou	ntry		
Name of Addition	al Joint Inventor, if any	y:			A petition	on has been file	ed for ti	his unsign	ed inv	entor
Given Na	me (first and middle [if any])				Family Na	ame or	Surname		
Inventor's Signature		,						Da	te	
Residence City		State	<u> </u>		Country			Citizer	ship	
Post Office Address										
Post Office Address			·							
City		State			ZIP			Country		

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231

dern der der dem gene geren den Gaal den benein ļ.s ij